

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010 Issue date: 6/20/2022 Revision date: 6/20/2024 Version: 1.1

SECTION 1: Identification

1.1. Product identifier

Product form Trade name Type of product Product code Product group

: Mixture

: Air Scents Touch of Scents - Lavender & vanilla

: Air freshener

: SH740, SH743

: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

:

Use of the substance/mixture

1.3. Supplier's details

Manufacturer

Shield Chemicals (Pty) Ltd 9 London Rd Apex P.O. Box 1939 1501 Benoni - Gauteng South Africa T (011) 421 7111 Contact: Jayson Clark

1.4. Emergency telephone number

Emergency number

: (011) 421 7111

SECTION 2: Hazards identification	ı		
2.1. Classification of the substance of	mixture		
Classification according to the United Nation	ons GHS		
Aerosol, Category 1		H222;H229	
Serious eye damage/eye irritation, Category 2	A	H319	
Hazardous to the aquatic environment - Acute	e Hazard, Category 2	H401	
Full text of H-statements: see section 16			
2.2. Label elements			
Labelling according to the United Nations	GHS		
Hazard pictograms (GHS ZA)			
Signal word (GHS-ZA)	: Danger	•	
Hazardous ingredients	: propane, but	ane, liquefied, under pressure, Ethanol	
Hazard statements (GHS ZA)		mely flammable aerosol.	
		urised container: May burst if heated.	
		es serious eye irritation.	
		to aquatic life	
Precautionary statements (GHS ZA)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
	0	t spray on an open flame or other ignition source.	
	P251 - Do not pierce or burn, even after use.		
	P264 - Wash hands, forearms and face thoroughly after handling.		
	P273 - Avoid release to the environment.		
	P280 - Wear eye protection, protective clothing, protective gloves.		
	P305+P351+	P338 - IF IN EYES: Rinse cautiously with water for several minutes. Re	move
6/20/2024 (Revision date)		ZA - en	1/9

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

	contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents and container to an approved waste disposal plant.
2.3. Other hazards	
Adverse physicochemical, human health and environmental effects	: Pressurised container: May burst if heated, Extremely flammable aerosol, Causes serious eye irritation, Toxic to aquatic life

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
butane, liquefied, under pressure	CAS-No.: 106-97-8	40.0 - 50.0	Pyr. Gas Not classified Flam. Gas 1, H220 Aquatic Acute 2, H401
Ethanol	CAS-No.: 64-17-5	20.0 - 30.0	Flam. Liq. 2, H225 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Acute Tox. Not classified (Inhalation:dust,mist) Eye Irrit. 2A, H319 Aquatic Acute Not classified
propane	CAS-No.: 74-98-6	20.0 - 30.0	Pyr. Gas Not classified Flam. Gas 1, H220 Aquatic Acute Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Extremely flammable aerosol.	

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Explosion hazard Hazardous decomposition products in case of fire	Pressurised container: May burst if heated.Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equip	ment and emergency procedures		
No additional information available			
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	: Mechanically recover the product.	
Other information	: Dispose of materials or solid residues at an authorized site.	

SECTION 7: Handling and stora	age
7.1. Precautions for safe handling	
Precautions for safe handling	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propane (74-98-6)		
South Africa - Occupational Exposure Limits (Airborne Pollutants)		
Local name	Propane	
OEL TWA	1800 mg/m ³	
OEL TWA [ppm]	1000 ppm	
Regulatory reference	Government Notice No. R 904	

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

butane, liquefied, under pressur	(106-97-8)	
South Africa - Occupational Exposu	Limits (Recommended Limits)	
Local name	Butane	
OEL TWA	1430 mg/m ³	
OEL TWA [ppm]	600 ppm	
OEL STEL	1780 mg/m ³	
OEL STEL [ppm]	750 ppm	
Regulatory reference	Government Notice. R: 1179	
South Africa - Occupational Exposure Limits (Airborne Pollutants)		
Local name	n-Butane	
OEL TWA	1430 mg/m ³	
OEL TWA [ppm]	600 ppm	
OEL STEL	1780 mg/m ³	
OEL STEL [ppm]	750 ppm	
Regulatory reference	Government Notice No. R 904	

8.2. Appropriate engineering controls

Appropriate engineering controls

Environmental exposure controls

: Ensure good ventilation of the work station.

- : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection Eye protection Skin and body protection Respiratory protection

: Protective gloves : Safety glasses : Wear suitable protective clothing : In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physi	ical and chemical properties
---------------------------------	------------------------------

Physical state	: Liquid
Appearance	: Liquid.
Colour	: clear.
Odour	: Lavender. Vanilla.
Odour threshold	: No data available
рН	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosive limit (LEL)	: No data available
Upper explosive limit (UEL)	: No data available
· ·	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral) :	Not classified	
Acute toxicity (dermal) :	Not classified	
Acute toxicity (inhalation) :	Not classified	
propane (74-98-6)		
LC50 Inhalation - Rat [ppm]	> 800000 ppm (15 minutes, Rat, Male / female, Experimental value, Inhalation (gases))	
butane, liquefied, under pressure (106-97-8)		
LC50 Inhalation - Rat	1442.738 – 1443 mg/l 15 MIN	

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

butane, liquefied, under pressure (106-97-8)		
LC50 Inhalation - Rat [ppm]		800000 ppm 15 MIN
Ethanol (64-17-5)		
LD50 oral rat		10470 mg/kg
LD50 dermal rabbit		> 15800 mg/kg
LC50 Inhalation - Rat		51 mg/l/4h
Skin corrosion/irritation	:	Not classified
Serious eye damage/irritation	:	Causes serious eye irritation.
Respiratory or skin sensitisation	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
STOT-single exposure	:	Not classified
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified
Air Scents Touch of Scents - Lavender & vanilla		
Vaporizer		Aerosol

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life. Toxic to aquatic life. Not classified
propane (74-98-6)	
LC50 - Fish [1]	24 mg/l (96 h, Pisces, Literature study)
LC50 - Fish [2]	49.9 mg/l (96 h, Pisces, Fresh water, QSAR)
EC50 - Crustacea [1]	7 mg/l (48 h, Daphnia magna, Literature study)
BCF - Fish [1]	9 – 25 (Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	1.09 – 2.8 (Experimental value, 20 °C)
butane, liquefied, under pressure (106-97-8)	
LC50 - Fish [1]	> 1000 mg/l (96 h, Pimephales promelas, QSAR)
EC50 72h - Algae [1]	5.3 – 5.5 mg/l (Algae, QSAR)
Partition coefficient n-octanol/water (Log Pow)	2.89 (Experimental value)
Ethanol (64-17-5)	·
LC50 - Fish [1]	11.2 mg/l
EC50 - Crustacea [1]	5012 mg/l
Bioconcentration factor (BCF REACH)	< 10
12.2. Persistence and degradability	
Air Scents Touch of Scents - Lavender & vanilla	
Persistence and degradability	No additional information available

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

(74.00.0)		
propane (74-98-6)		
Persistence and degradability	Readily biodegradable in water.	
butane, liquefied, under pressure (106-97-8)		
Persistence and degradability	Readily biodegradable in water.	
Ethanol (64-17-5)		
Chemical oxygen demand (COD)	2.04 g O ₂ /g substance	
12.3. Bioaccumulative potential		
Air Scents Touch of Scents - Lavender & vanilla		
Bioaccumulative potential	No additional information available	
propane (74-98-6)		
BCF - Fish [1]	9 – 25 (Pisces, QSAR)	
Partition coefficient n-octanol/water (Log Pow)	1.09 – 2.8 (Experimental value, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
butane, liquefied, under pressure (106-97-8)		
Partition coefficient n-octanol/water (Log Pow)	2.89 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Ethanol (64-17-5)		
Bioconcentration factor (BCF REACH)	< 10	
12.4. Mobility in soil		
Air Scents Touch of Scents - Lavender & van	illa	
Mobility in soil	No additional information available	
propane (74-98-6)	·	
Surface tension	0.016 N/m (-47 °C)	
Partition coefficient n-octanol/water (Log Pow)	1.09 – 2.8 (Experimental value, 20 °C)	
Ecology - soil	Not applicable (gas).	
butane, liquefied, under pressure (106-97-8)		
Surface tension	< 0.1 N/m (0 °C)	
Partition coefficient n-octanol/water (Log Pow)	2.89 (Experimental value)	
Ecology - soil	Not applicable (gas).	
Ethanol (64-17-5)		
Mobility in soil	1	
12.5. Other adverse effects		
Ozone : Other adverse effects :	Not classified No additional information available	

SECTION 13: Disposal considerations 13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 14: Transport information		
In accordance with SANS / IMDG / IATA		
SANS	IMDG	ΙΑΤΑ
14.1. UN number		I
1950	1950	1950
14.2. Proper Shipping Name		I
AEROSOLS	AEROSOLS	Aerosols, flammable
14.3. Transport hazard class(es)		
2.1	2.1	2.1
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		
14.6. Special precautions for user		
SANS Special provisions (SANS) Limited quantities (SANS) Limited quantities (SANS) Packagings, large packagings and IBCs Packing instructions (SANS) Packagings, large packagings and IBCs Special packing instructions (SANS)	 63, 190 See SP277 See SP277 P003 PP17, PP87 	
IMDG Special provisions (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	 63, 190, 277, 327, 344, 381, 959 P207, LP200 PP87, L2 F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE) None 	
IATA PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	 E0 Y203 30kgG 203 75kg 203 150kg A145, A167, A802 10L 	

Not applicable

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date Revision date : 20/06/2022 : 20/06/2024

Full text of H-statements		
H220	Extremely flammable gas.	
H225	Highly flammable liquid and vapour.	
H227	Combustible liquid	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H303	May be harmful if swallowed	
H313	May be harmful in contact with skin	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H401	Toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.