

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010 Issue date: 6/20/2022 Revision date: 6/20/2024 Version: 1.1

### **SECTION 1: Identification**

#### **1.1. Product identifier**

Product form Trade name Type of product Product code Product group

: Mixture

: Air Scents Touch of Scents - Vanilla passion fruit

: Air freshener

: SH1175, SH1174

: Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

:

#### Use of the substance/mixture

1.3. Supplier's details

#### Manufacturer

Shield Chemicals (Pty) Ltd 9 London Rd Apex P.O. Box 1939 1501 Benoni - Gauteng South Africa T (011) 421 7111 Contact: Jayson Clark

#### 1.4. Emergency telephone number

Emergency number

: (011) 421 7111

SECTION 2: Hazards identification	ı		
2.1. Classification of the substance o	r mixture		
Classification according to the United Nati Aerosol, Category 1 Serious eye damage/eye irritation, Category 2 Hazardous to the aquatic environment – Acut Full text of H-statements: see section 16	2A	H222;H229 H319 H401	
2.2. Label elements			
Labelling according to the United Nations Hazard pictograms (GHS ZA)	GHS		
Signal word (GHS-ZA) Hazardous ingredients Hazard statements (GHS ZA)	: H222 - Extrei H229 - Press H319 - Cause	ane, liquefied, under pressure, Ethanol, 3,5,5-trimethyl hexyl aceta mely flammable aerosol. urised container: May burst if heated. es serious eye irritation. to aquatic life	te
Precautionary statements (GHS ZA)	: P210 - Keep No smoking. P211 - Do no P251 - Do no P264 - Wash P273 - Avoid P280 - Wear	away from heat, hot surfaces, sparks, open flames and other igniti t spray on an open flame or other ignition source. t pierce or burn, even after use. hands, forearms and face thoroughly after handling. release to the environment. eye protection, protective clothing, protective gloves. P338 - IF IN EYES: Rinse cautiously with water for several minute	
6/20/2024 (Revision date)		ZA - en	1/10

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Adverse physicochemical, human health and environmental effects

: Pressurised container: May burst if heated,Extremely flammable aerosol,Causes serious eye irritation,Toxic to aquatic life

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
butane, liquefied, under pressure	CAS-No.: 106-97-8	40.0 - 50.0	Pyr. Gas Not classified Flam. Gas 1, H220 Aquatic Acute 2, H401
Ethanol	CAS-No.: 64-17-5	20.0 - 30.0	Flam. Liq. 2, H225 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Acute Tox. Not classified (Inhalation:dust,mist) Eye Irrit. 2A, H319 Aquatic Acute Not classified
propane	CAS-No.: 74-98-6	20.0 - 30.0	Pyr. Gas Not classified Flam. Gas 1, H220 Aquatic Acute Not classified
3,5,5-trimethyl hexyl acetate	CAS-No.: 58430-94-7	0.5 - 1.5	Flam. Liq. 4, H227 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

#### **SECTION 4: First aid measures** 4.1. Description of first aid measures First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : Wash skin with plenty of water. First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy : to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after eye contact : Eye irritation. 4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

5.2. Special hazards arising from the substance or mixture				
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Extremely flammable aerosol.</li> <li>Pressurised container: May burst if heated.</li> <li>Toxic fumes may be released.</li> </ul>			
5.3. Advice for firefighters				
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.			

SECTION 6: Accidental release measures					
6.1. Personal precautions, protective equipment and emergency procedures					
No additional information available	No additional information available				
6.1.1. For non-emergency personnel					
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.				
6.1.2. For emergency responders					
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".				
6.2. Environmental precautions					
Avoid release to the environment.					
6.3. Methods and material for containment and cleaning up					
For containment Methods for cleaning up Other information	<ul> <li>Collect spillage.</li> <li>Mechanically recover the product.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>				

SECTION 7: Handling and storage					
7.1. Precautions for safe handling					
Precautions for safe handling : Hygiene measures :	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin and eyes. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.				
7.2. Conditions for safe storage, including any incompatibilities					
Storage conditions :	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a				

well-ventilated place. Keep cool.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

propane (74-98-6)		
South Africa - Occupational Exposure Limits (Airborne Pollutants)		
Local name	Propane	
OEL TWA	1800 mg/m <sup>3</sup>	
OEL TWA [ppm]	1000 ppm	

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

propane (74-98-6)				
Regulatory reference	Government Notice No. R 904			
butane, liquefied, under pressure (106-97-8)	butane, liquefied, under pressure (106-97-8)			
South Africa - Occupational Exposure Limits (Recommended Limits)				
Local name	Butane			
OEL TWA	1430 mg/m <sup>3</sup>			
OEL TWA [ppm]	600 ppm			
OEL STEL	1780 mg/m <sup>3</sup>			
OEL STEL [ppm]	750 ppm			
Regulatory reference	Government Notice. R: 1179			
South Africa - Occupational Exposure Limits (Airborne Pollutants)				
Local name	n-Butane			
OEL TWA	1430 mg/m <sup>3</sup>			
OEL TWA [ppm]	600 ppm			
OEL STEL	1780 mg/m <sup>3</sup>			
OEL STEL [ppm]	750 ppm			
Regulatory reference	Government Notice No. R 904			
8.2. Appropriate engineering controls				

Appropriate enginee	ring cont	rolo	
Appropriate enumee	nnu cont	1015	

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

Hand protection	Protective gloves	
Eye protection	Safety glasses	
Skin and body protection	: Wear suitable protective clothing	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipm	nent

Personal protective equipment symbol(s):



### 8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties	
9.1. Information on basic physical and chemical properties	
Physical state	: Liquid
Appearance	: Liquid.
Colour	: clear.
Odour	: Vanilla passion fruit.
Odour threshold	: No data available
рН	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosive limit (LEL)	: No data available
Upper explosive limit (UEL)	: No data available

#### 9.2. Other

Explosive properties Oxidising properties Explosive limits Lower explosive limit (LEL) Upper explosive limit (UEL)	<ul> <li>No data available</li> <li>Pressurised container: May burst if heated.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> </ul>	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity	1	
10.1. Reactivity		
Extremely flammable aerosol. Pressurised conta	iner: May burst if heated.	
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicologica	al effects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
propane (74-98-6)		
LC50 Inhalation - Rat [ppm]	> 800000 ppm (15 minutes, Rat, Male / female, Experimental value, Inhalation (gases))	

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

butane, liquefied, under pressure (106-9	7-8)
LC50 Inhalation - Rat	1442.738 – 1443 mg/l 15 MIN
LC50 Inhalation - Rat [ppm]	800000 ppm 15 MIN
Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg
LD50 dermal rabbit	> 15800 mg/kg
LC50 Inhalation - Rat	51 mg/l/4h
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Air Scents Touch of Scents - Vanilla passion fruit	
Vaporizer	Aerosol

## **SECTION 12: Ecological information**

### 12.1. Toxicity

<i></i>	Toxic to aquatic life. Toxic to aquatic life.
Hazardous to the aquatic environment, long-term : (chronic)	Not classified
propane (74-98-6)	
LC50 - Fish [1]	24 mg/l (96 h, Pisces, Literature study)
LC50 - Fish [2]	49.9 mg/l (96 h, Pisces, Fresh water, QSAR)
EC50 - Crustacea [1]	7 mg/l (48 h, Daphnia magna, Literature study)
BCF - Fish [1]	9 – 25 (Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	1.09 – 2.8 (Experimental value, 20 °C)
butane, liquefied, under pressure (106-97-8)	
LC50 - Fish [1] > 1000 mg/l (96 h, Pimephales promelas, QSAR)	
EC50 72h - Algae [1]	5.3 – 5.5 mg/l (Algae, QSAR)
Partition coefficient n-octanol/water (Log Pow)	2.89 (Experimental value)
Ethanol (64-17-5)	
LC50 - Fish [1]	11.2 mg/l
EC50 - Crustacea [1]	5012 mg/l
Bioconcentration factor (BCF REACH)	< 10
3,5,5-trimethyl hexyl acetate (58430-94-7)	
LC50 - Fish [1]	7.7 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

3,5,5-trimethyl hexyl acetate (58430-94-7)	I
EC50 - Crustacea [1]	> 5.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Flow-through system, Fresh water, Experimental value, Locomotor effect)
BCF - Fish [1]	503.6 l/kg (Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	4.6 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water) HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.571 (log Koc, QSAR)
12.2. Persistence and degradability	
Air Scents Touch of Scents - Vanilla passion	fruit
Persistence and degradability	No additional information available
propane (74-98-6)	
Persistence and degradability	Readily biodegradable in water.
butane, liquefied, under pressure (106-97-8)	
Persistence and degradability	Readily biodegradable in water.
Ethanol (64-17-5)	
Chemical oxygen demand (COD)	2.04 g O <sub>2</sub> /g substance
3,5,5-trimethyl hexyl acetate (58430-94-7)	
Persistence and degradability	Readily biodegradable in water.
12.3. Bioaccumulative potential	
Air Scents Touch of Scents - Vanilla passion	fruit
Bioaccumulative potential	No additional information available
propane (74-98-6)	
BCF - Fish [1]	9 – 25 (Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	1.09 – 2.8 (Experimental value, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
butane, liquefied, under pressure (106-97-8)	
Partition coefficient n-octanol/water (Log Pow)	2.89 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Ethanol (64-17-5)	
Bioconcentration factor (BCF REACH)	< 10
3,5,5-trimethyl hexyl acetate (58430-94-7)	
BCF - Fish [1]	503.6 l/kg (Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	4.6 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water) HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.571 (log Koc, QSAR)
	Detential for biogenumulation (EQ0 < DCE < EQ00)

Bioaccumulative potential

Potential for bioaccumulation (500  $\leq$  BCF  $\leq$  5000).

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

12.4. Mobility in soil		
Air Scents Touch of Scents - Vanilla passion	n fruit	
bility in soil No additional information available		
propane (74-98-6)		
Surface tension	0.016 N/m (-47 °C)	
Partition coefficient n-octanol/water (Log Pow)	1.09 – 2.8 (Experimental value, 20 °C)	
Ecology - soil	Not applicable (gas).	
butane, liquefied, under pressure (106-97-8)		
Surface tension	< 0.1 N/m (0 °C)	
Partition coefficient n-octanol/water (Log Pow)	2.89 (Experimental value)	
Ecology - soil	Not applicable (gas).	
Ethanol (64-17-5)		
Mobility in soil	1	
3,5,5-trimethyl hexyl acetate (58430-94-7)	·	
Partition coefficient n-octanol/water (Log Pow)	4.6 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.571 (log Koc, QSAR)	
Ecology - soil	Low potential for mobility in soil.	
12.5. Other adverse effects		
Ozone	Not classified	
Other adverse effects	No additional information available	

### SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

### **SECTION 14: Transport information**

SANS	IMDG	ΙΑΤΑ	
14.1. UN number			
1950	1950	1950	
14.2. Proper Shipping Name			
AEROSOLS	AEROSOLS	Aerosols, flammable	
14.3. Transport hazard class(es)			
2.1	2.1	2.1	

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SANS	IMDG	ΙΑΤΑ
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		
14.6. Special precautions for user		
SANS Special provisions (SANS) Limited quantities (SANS) Limited quantities (SANS) Packagings, large packagings and IBCs Packing instructions (SANS) Packagings, large packagings and IBCs Special packing instructions (SANS)	<ul> <li>: 63, 190</li> <li>: See SP277</li> <li>: See SP277</li> <li>: P003</li> <li>: PP17, PP87</li> </ul>	
IMDG Special provisions (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	<ul> <li>63, 190, 277, 327, 344, 381, 959</li> <li>P207, LP200</li> <li>PP87, L2</li> <li>F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES</li> <li>S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)</li> <li>None</li> </ul>	
IATA PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	<ul> <li>E0</li> <li>Y203</li> <li>30kgG</li> <li>203</li> <li>75kg</li> <li>203</li> <li>150kg</li> <li>A145, A167, A802</li> <li>10L</li> </ul>	

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other info	rmation	
Issue date	: 20/06/2022	
Revision date	: 20/06/2024	

Full text of H-statements	
H220 Extremely flammable gas.	
H225	Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.	

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Full text of H-statements	
H227	Combustible liquid
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.