



# Air Scents reed diffuser - Fresh linen

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010  
Issue date: 2/26/2024 Revision date: 2/26/2026 Version: 1.1

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Air Scents reed diffuser - Fresh linen  
Type of product : Air freshener  
Product code : SH913, SH983, SH380, SH1562  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture :

#### 1.3. Supplier's details

##### Manufacturer

Shield Chemicals (Pty) Ltd  
9 London Rd Apex  
P.O. Box 1939  
1501 Benoni – Gauteng  
South Africa  
T (011) 421 7111  
Contact: Jayson Clark

#### 1.4. Emergency telephone number

Emergency number : (011) 421 7111

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to the United Nations GHS

Flammable liquids, Category 4 H227  
Skin sensitisation, Category 1 H317  
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412  
Full text of H-statements: see section 16

#### 2.2. Label elements

##### Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA) :



Signal word (GHS-ZA) : Warning  
Hazardous ingredients : linalool, isoeugenol, (+)-limonene  
Hazard statements (GHS ZA) : H227 - Combustible liquid  
H317 - May cause an allergic skin reaction  
H412 - Harmful to aquatic life with long lasting effects  
Precautionary statements (GHS ZA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.  
P261 - Avoid breathing vapours.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear eye protection, protective clothing, protective gloves.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water  
P321 - Specific treatment (see ... on this label).  
P333+P317 - If skin irritation or rash occurs: Get medical help.

# Air Scents reed diffuser - Fresh linen

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

P362+P364 - Take off contaminated clothing and wash it before reuse.  
P370+P378 - In case of fire: Use carbon dioxide (CO<sub>2</sub>), sand, foam to extinguish.  
P403 - Store in a well-ventilated place.  
P501 - Dispose of contents and container to a hazardous or special waste collection point.

### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects : May cause an allergic skin reaction, Harmful to aquatic life, Harmful to aquatic life with long lasting effects.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Dipropylene glycol methyl ether	CAS-No.: 34590-94-8	60.0 - 70.0	Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) STOT RE Not classified Aquatic Acute Not classified
ethanol	CAS-No.: 64-17-5	10.0 - 20.0	Flam. Liq. 2, H225 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Asp. Tox. 2, H305 Aquatic Acute Not classified
linalool	CAS-No.: 78-70-6	5.0 -10.0	Flam. Liq. 4, H227 Acute Tox. Not classified (Dermal) Skin Sens. 1B, H317
geraniol	CAS-No.: 106-24-1	1.0 - 5.0	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) Aquatic Acute 3, H402
coumarin	CAS-No.: 91-64-5	1.0 - 5.0	Acute Tox. 3 (Oral), H301 Aquatic Acute 2, H401
eugenol	CAS-No.: 97-53-0	1.0 - 5.0	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Aquatic Acute 2, H401
(+/-)-beta-citronellol	CAS-No.: 106-22-9	1.0 - 5.0	Flam. Liq. Not classified

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

# Air Scents reed diffuser - Fresh linen

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing vapours.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.  
Other information : Dispose of materials or solid residues at an authorized site.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing vapours.  
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

# Air Scents reed diffuser - Fresh linen

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

ethanol (64-17-5)	
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Ethanol (Ethyl alcohol)
OEL TWA	1900 mg/m <sup>3</sup>
OEL TWA	1000 ppm
Regulatory reference	Government Notice No. R 904

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves  
Eye protection : Safety glasses  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



#### 8.4. Exposure limit values for the other components

No additional information available

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Appearance : Liquid.  
Colour : Transparent.  
Odour : characteristic.  
Odour threshold : No data available  
pH : No data available  
pH solution : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Relative evaporation rate (ether=1) : No data available  
Melting point : Not applicable  
Freezing point : No data available  
Boiling point : No data available  
Flash point : ≈ 76 °C  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability : Not applicable  
Vapour pressure : No data available  
Vapour pressure at 50°C : No data available  
Relative vapour density at 20°C : No data available  
Relative density : No data available  
Relative density of saturated gas/air mixture : No data available  
Density : No data available  
Relative gas density : No data available

# Air Scents reed diffuser - Fresh linen

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

<b>Dipropylene glycol methyl ether (34590-94-8)</b>	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	9510 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
<b>ethanol (64-17-5)</b>	
LD50 oral rat	10740 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit, Literature study, Dermal)

# Air Scents reed diffuser - Fresh linen

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

<b>ethanol (64-17-5)</b>	
LC50 Inhalation - Rat	117 – 125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation)
<b>geraniol (106-24-1)</b>	
LD50 oral rat	3600 mg/kg bodyweight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal)
<b>linalool (78-70-6)</b>	
LD50 oral rat	2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	≈ 2790 mg/kg
LD50 dermal rabbit	5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))
<b>coumarin (91-64-5)</b>	
LD50 oral rat	293 mg/kg bodyweight (Rat, Male / female, Experimental value, Oral)
<b>eugenol (97-53-0)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 423, Rat, Male / female, Experimental value, Oral)
LC50 Inhalation - Rat	> 2.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol))
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
<b>Dipropylene glycol methyl ether (34590-94-8)</b>	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:KANPOGYO No.700, YAKUHATSU No. 1039.61, and KIKYKU No. 1014.
NOAEL (dermal, rat/rabbit, 90 days)	2850 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard	: Not classified
<b>Dipropylene glycol methyl ether (34590-94-8)</b>	
Animal studies and expert judgment for classification	False
<b>ethanol (64-17-5)</b>	
Animal studies and expert judgment for classification	False
<b>geraniol (106-24-1)</b>	
Animal studies and expert judgment for classification	False
<b>linalool (78-70-6)</b>	
Animal studies and expert judgment for classification	False
<b>coumarin (91-64-5)</b>	
Animal studies and expert judgment for classification	False
<b>(+/-)-beta-citronellol (106-22-9)</b>	
Animal studies and expert judgment for classification	False

# Air Scents reed diffuser - Fresh linen

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

<b>eugenol (97-53-0)</b>	
Animal studies and expert judgment for classification	False

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

<b>Dipropylene glycol methyl ether (34590-94-8)</b>	
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): <i>Poecilia reticulata</i>
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea: <i>Acartia tonsa</i>
EC50 72h - Algae [1]	> 969 mg/l Test organisms (species): <i>Pseudokirchneriella subcapitata</i> (previous names: <i>Raphidocelis subcapitata</i> , <i>Selenastrum capricornutum</i> )
LOEC (chronic)	0.5 mg/l Test organisms (species): <i>Daphnia magna</i> Duration: '22 d'
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): <i>Daphnia magna</i> Duration: '22 d'

<b>ethanol (64-17-5)</b>	
LC50 - Fish [1]	14200 mg/l (US EPA, 96 h, <i>Pimephales promelas</i> , Flow-through system, Fresh water, Experimental value)
EC50 72h - Algae [1]	275 mg/l (Equivalent or similar to OECD 201, <i>Chlorella vulgaris</i> , Static system, Fresh water, Experimental value, Growth rate)
BCF - Fish [1]	1 (Other, 72 h, <i>Cyprinus carpio</i> , Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)

<b>geraniol (106-24-1)</b>	
LC50 - Fish [1]	22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, <i>Danio rerio</i> , Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	10.8 mg/l (OECD 202: <i>Daphnia</i> sp. Acute Immobilisation Test, 48 h, <i>Daphnia magna</i> , Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, <i>Desmodesmus subspicatus</i> , Static system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)

<b>linalool (78-70-6)</b>	
LC50 - Fish [1]	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, <i>Oncorhynchus mykiss</i> , Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	59 mg/l (OECD 202: <i>Daphnia</i> sp. Acute Immobilisation Test, 48 h, <i>Daphnia magna</i> , Static system, Fresh water, Experimental value, GLP)
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, <i>Desmodesmus subspicatus</i> , Static system, Fresh water, Experimental value, Nominal concentration)
Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)

<b>coumarin (91-64-5)</b>	
LC50 - Fish [1]	2.94 mg/l (96 h, Pisces, QSAR)

# Air Scents reed diffuser - Fresh linen

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

<b>coumarin (91-64-5)</b>	
EC50 - Crustacea [1]	24.3 – 36.9 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	1.39 (QSAR, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.63 (log Koc, QSAR)
<b>(+/-)-beta-citronellol (106-22-9)</b>	
Partition coefficient n-octanol/water (Log Pow)	3.41 – 3.91
<b>eugenol (97-53-0)</b>	
LC50 - Fish [1]	13 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	1.13 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	24 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	1.83 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)

### 12.2. Persistence and degradability

<b>Air Scents reed diffuser - Fresh linen</b>	
Persistence and degradability	No additional information available
<b>ethanol (64-17-5)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.7 g O <sub>2</sub> /g substance
ThOD	2.1 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.43
<b>geraniol (106-24-1)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>linalool (78-70-6)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>coumarin (91-64-5)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>(+/-)-beta-citronellol (106-22-9)</b>	
Persistence and degradability	Readily biodegradable in water.
Chemical oxygen demand (COD)	2.05 g O <sub>2</sub> /g substance
ThOD	2.961 g O <sub>2</sub> /g substance
<b>eugenol (97-53-0)</b>	
Persistence and degradability	Readily biodegradable in water.



# Air Scents reed diffuser - Fresh linen

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 12.3. Bioaccumulative potential

#### Air Scents reed diffuser - Fresh linen

Bioaccumulative potential	No additional information available
---------------------------	-------------------------------------

#### ethanol (64-17-5)

BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

#### geraniol (106-24-1)

Partition coefficient n-octanol/water (Log Pow)	2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

#### linalool (78-70-6)

Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

#### coumarin (91-64-5)

Partition coefficient n-octanol/water (Log Pow)	1.39 (QSAR, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.63 (log Koc, QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

#### (+/-)-beta-citronellol (106-22-9)

Partition coefficient n-octanol/water (Log Pow)	3.41 – 3.91
---	-------------

#### eugenol (97-53-0)

Partition coefficient n-octanol/water (Log Pow)	1.83 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

### 12.4. Mobility in soil

#### Air Scents reed diffuser - Fresh linen

Mobility in soil	No additional information available
------------------	-------------------------------------

#### ethanol (64-17-5)

Surface tension	0.022 N/m (20 °C)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Ecology - soil	Highly mobile in soil.

#### geraniol (106-24-1)

Partition coefficient n-octanol/water (Log Pow)	2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)
Ecology - soil	Highly mobile in soil.

# Air Scents reed diffuser - Fresh linen

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

<b>linalool (78-70-6)</b>	
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)
Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Ecology - soil	No (test)data on mobility of the substance available.
<b>coumarin (91-64-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.39 (QSAR, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.63 (log Koc, QSAR)
Ecology - soil	Highly mobile in soil.
<b>(+/-)-beta-citronellol (106-22-9)</b>	
Partition coefficient n-octanol/water (Log Pow)	3.41 – 3.91
<b>eugenol (97-53-0)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.83 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 30 °C)
Ecology - soil	No (test)data on mobility of the substance available.

### 12.5. Other adverse effects

Ozone : Not classified  
Other adverse effects : No additional information available


## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
Not applicable	3082	Not applicable
14.2. Proper Shipping Name		
Not applicable	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Not applicable
14.3. Transport hazard class(es)		
Not applicable	9	Not applicable
Not applicable		Not applicable
14.4. Packing group		
Not applicable	III	Not applicable
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No

# Air Scents reed diffuser - Fresh linen

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SANS	IMDG	IATA
No supplementary information available		

### 14.6. Special precautions for user

#### SANS

No data available

#### IMDG

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A

#### IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

## SECTION 16: Other information

Issue date	: 26/02/2024
Revision date	: 26/02/2026

Full text of H-statements	
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H305	May be harmful if swallowed and enters airways
H312	Harmful in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H373	May cause damage to organs through prolonged or repeated exposure

# Air Scents reed diffuser - Fresh linen

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Full text of H-statements	
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.