

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010 Issue date: 5/28/2024 Revision date: 5/28/2026 Version: 1.1

#### **SECTION 1: Identification**

#### 1.1. Product identifier

Product form : Mixture

Trade name : Air Scents mini gel air freshener - Country garden

Type of product : Air freshener
Product code : SH874
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture :

#### 1.3. Supplier's details

#### Manufacturer

Shield Chemicals (Pty) Ltd 9 London Rd Apex P.O. Box 1939 1501 Benoni – Gauteng South Africa T (011) 421 7111

Contact: Jayson Clark

#### 1.4. Emergency telephone number

Emergency number : (011) 421 7111

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to the United Nations GHS

Skin corrosion/irritation, Category 2

Serious eye damage/eye irritation, Category 2A

H315

Skin sensitisation, Category 1

H317

Carcinogenicity Not classified

Hazardous to the aquatic environment - Acute Hazard Not classified

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H-statements: see section 16

#### 2.2. Label elements

# Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)



Signal word (GHS-ZA) : Warning

Hazardous ingredients : (+)-limonene, 5-chloro-2-methyl-2H-isothiozol-3-one, piperonal

Hazard statements (GHS ZA) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (GHS ZA) : P261 - Avoid breathing vapours.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

P273 - Avoid release to the environment.

P280 - Wear eye protection, protective clothing, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see ... on this label).
P332+P317 - If skin irritation occurs: Get medical help.
P333+P317 - If skin irritation or rash occurs: Get medical help.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents and container to a hazardous or special waste collection point.

#### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Causes skin irritation, May cause an allergic skin reaction, Causes serious eye irritation, Harmful to aquatic life with long lasting effects.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
ethanol	CAS-No.: 64-17-5	1.0 - 5.0	Flam. Liq. 2, H225 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Asp. Tox. 2, H305 Aquatic Acute Not classified
Carrageenan	-	1.0 - 5.0	Eye Irrit. 2A, H319 Carc. 2, H351

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact

: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5/28/2026 (Revision date) ZA - en 2/8

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing vapours.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment. Avoid breathing vapours.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

ethanol (64-17-5)	
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Ethanol (Ethyl alcohol)
OEL TWA	1900 mg/m³
OEL TWA	1000 ppm
Regulatory reference	Government Notice No. R 904

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

5/28/2026 (Revision date) ZA - en 3/8

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):







# 8.4. Exposure limit values for the other components

No additional information available

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid Solid. Appearance Colour White. Odour characteristic. Odour threshold No data available рΗ No data available pH solution No data available Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : No data available : No data available Melting point Freezing point : Not applicable

Boiling point : No data available : ≈ 78 °C Flash point Auto-ignition temperature : Not applicable Decomposition temperature : No data available Flammability : Non flammable. Vapour pressure : No data available Vapour pressure at 50°C : No data available Relative vapour density at 20°C : No data available Relative density : No data available Relative density of saturated gas/air mixture : No data available Density : No data available Relative gas density : No data available : No data available Solubility Partition coefficient n-octanol/water (Log Pow) : No data available Partition coefficient n-octanol/water (Log Kow) : No data available Viscosity, kinematic : Not applicable Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : Not applicable

#### 9.2. Other information

Lower explosion limit

Upper explosion limit

No additional information available

No data available

No data available

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ethanol (64-17-5)	
LD50 oral rat	10740 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit, Literature study, Dermal)
LC50 Inhalation - Rat	117 – 125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation)

 Skin corrosion/irritation
 : Causes skin irritation.

 Serious eye damage/irritation
 : Causes serious eye irritation.

 Respiratory or skin sensitisation
 : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified.
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

Air Scents mini gel air freshener - Country garden		
Viscosity, kinematic	Not applicable	
ethanol (64-17-5)		
Animal studies and expert judgment for classification	False	
Carrageenan		
Animal studies and expert judgment for classification	False	

5/28/2026 (Revision date) ZA - en 5/8

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified.

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects. (chronic)

ethanol (64-17-5)	
LC50 - Fish [1]	14200 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 72h - Algae [1]	275 mg/l (Equivalent or similar to OECD 201, Chlorella vulgaris, Static system, Fresh water, Experimental value, Growth rate)
BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)

# 12.2. Persistence and degradability

Air Scents mini gel air freshener - Country garden		
Persistence and degradability	No additional information available	
ethanol (64-17-5)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	1.7 g O <sub>2</sub> /g substance	
ThOD	2.1 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0.43	

# 12.3. Bioaccumulative potential

Air Scents mini gel air freshener - Country garden		
Bioaccumulative potential	No additional information available	
ethanol (64-17-5)		
BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)	
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)	
Bioaccumulative potential	Not bioaccumulative.	

# 12.4. Mobility in soil

Air Scents mini gel air freshener - Country garden	
Mobility in soil No additional information available	
ethanol (64-17-5)	
Surface tension	0.022 N/m (20 °C)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Ecology - soil	Highly mobile in soil.

### 12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

5/28/2026 (Revision date) ZA - en 6/8

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

#### **SECTION 14: Transport information**

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
4.1. UN number	<u> </u>	
1759	1759	1759
14.2. Proper Shipping Name		
CORROSIVE SOLID, N.O.S.	CORROSIVE SOLID, N.O.S.	Corrosive solid, n.o.s.
14.3. Transport hazard class(es)		
8	8	8
8	8	8
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No  Marine pollutant : No	Dangerous for the environment : No

# 14.6. Special precautions for user

**SANS** 

Special provisions (SANS) : 223, 274 Limited quantities (SANS) : 5 kg Limited quantities (SANS) : 5 kg

Packagings, large packagings and IBCs Packing

instructions (SANS)

: P002, IBC08, LP02

Packagings, large packagings and IBCs Special

packing instructions (SANS)

: B3

Portable tank and bulk containers instructions

: T1

(SANS)

Portable tank and bulk container special provisions : TP33

(SANS)

Special provisions (IMDG) : 223, 274 Packing instructions (IMDG) : P002, LP02 IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B3 Tank instructions (IMDG) T1 Tank special provisions (IMDG)

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE EmS-No. (Spillage) : S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES

Stowage category (IMDG) : A

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

5/28/2026 (Revision date) ZA - en 7/8

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

#### **IATA**

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y845 PCA limited quantity max net quantity (IATA) : 5kg PCA packing instructions (IATA) : 860 PCA max net quantity (IATA) : 25kg CAO packing instructions (IATA) : 864 CAO max net quantity (IATA) : 100kg Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

# **SECTION 16: Other information**

 Issue date
 : 28/05/2024

 Revision date
 : 28/05/2026

Full text of H-statements	
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H305	May be harmful if swallowed and enters airways
H311	Toxic in contact with skin
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.